102270

Page 2

May-27-13 12:42:37 PM

Item ID:

D3183-045

Accept

Setup Start

Revision ID:

Item Name:

Bearing Assembly

5/30/13 Start Date:

Start Qty: 20.00

20

Required Date: 5/30/13

Req'd Qty: 20.00

20

Reference:

Approvals:

Process Plan:

Date:

Tooling:

QC:

Date:

SPC (Y/N):

Sequence ID/ Work Center ID Operation Description Set Up/ Run Hours

0.00

130

130

Small Fab

Small Fab

0.00 Memo

Small Fab

Press D3183-5 Bearing into D3183-9 Cap as per Dwg D3183.

140

140

Quality Control

QC5- Inspect part completeness to step on W/O

150

Identify as per dwg & Stock Location 51235B

150

Packaging

Memo

Memo

0.00

Packaging

N900040100

Cust Item ID:

Customer:

Run

Start

Date:

Stop

Date:

Tool ID

Tool# Plan Code

Accept Qty

Reject Oty

Reject Insp.

Stamp Number

38x

38x L M.D. 13-06-11

102270

Page 3

May-27-13 12:42:37 PM

Item ID:

D3183-045

Accept

Revision ID:

Item Name:

Bearing Assembly

Start Date:

5/30/13

Start Qty: 20.00

20

Required Date: 5/30/13

Req'd Qty: 20.00

20

Reference:

Approvals:

Process Plan:

Date:

Tooling:

QC:

Date:

SPC (Y/N):

Sequence ID/ Work Center ID Operation Description Set Up/ Run Hours

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo 0.00

Quality Control

Cust Item ID:

Customer:

Run

Start *NR1

Date:

N900040100

Stop

Setup Start

NR2

NS2

Tool ID To

Tool# Plan Code Accept Qty Reject Qty Reject Insp. Number Stamp

MW 13-00-12

\$13.06 m

Work Order ID:

102270

Parent Item:

D3183-045

Parent Item Name:

Bearing Assembly

Component Item ID/ Item Name		w issueKJ/DS Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Date Issued Issued	Status
D3183-5		Manufactured	No			110	Each	48.0000	1	20	Sal	1
Bearing						W 528		techter)		7	100	/"
				Location		Loc Qty	Lo	e Code			M1025	71 R
				ST235B 9865	3	48 48				1		21 6
MDELRINR1.000		Purchased	No			130	f	41.5670	0.0333	0.701052		
Delrin Round Bar I"	- 1					- 1						
				Location		Loc Qty	Lo	oc Code				
				MAT018		41.567					-1. 121	x 12/2

41.567

125251

Page 1

Start Date: 5/30/13

Required Date: 5/30/13

Start Qty: 20.00

Required Qty: 20.00

2.103 F.K. 13/05/30

DART AEROSPACE LTD	Work Order:	10.22-4
Description: Cap	Part Number:	D3183-9
Inspection Dwg: D3183 Rev: C1		Page 1 of 1


	X	First Arti	cle	Prot	otype		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection		ments
∅0.830	+/-0.005	.829	1		FK - 04	Vern	
20.720	+/-0.002	.7205	~		W.	A	
00.747	+/-0.001	.747	7		h	Ài	
R0.010	+/-0.010	2100	V		b	145	
R0.031	+/-0.010	.031	V		K	h	
0.199	+/-0.001	0199	V		4	h	
0.276	+/-0.010	.277	V		à	ķ.	
0.039	+/-0.010	.040	~		ų.	Jh.	
	Transaction of						
127							1
, s. 178-2-316				1. 41	A 6 "		100
La Marie			TEX.	1	(e.) (-)		
17 17 17	(ASERTAL						
					W N		
		7 10		ty is			
				A TONIE			
		180					
th'ta Yar							157
	and the second						
			1				
easured by:	FK.	Audited by:	5		Prototype	e Approval:	N/A
Date:	13/05/30	Date:	13-	5-30		Date:	N/A
ev Date	Change				V. 36	Revised by	Approve

Rev	Date	Change		Revised by	Approved
4		New Issue	(P/O D3183-045)	KJ/RF	1
3			330 was Ø0.850	KJ/JLM 🔏	adl




DEO ATTACHED

D3121-21 BOLT (1) D3183-045 BEARING ASSEMBLY (1)



D3183-041 BRACKET ASSEMBLY (SHOWN)
D3183-042 BRACKET ASSEMBLY (OPPOSITE
D3183-043 BRACKET ASSEMBLY (SIMILAR) D3183-044 BRACKET ASSEMBLY (SIMILAR




D3183-5 BEARING: SPECIFICATION CONTROL DRAWING

- 1) SINGLE ROW, DEEP GROOVE, CONRAD TYPE, SHIELDED 2) POSSIBLE SUPPLIER: NSK P/N 6800ZZ
- 3) ALL DIMENSIONS ARE IN INCHES


D3183-7 WASHER


- 1) MATERIAL: AISI 303 ROUND BAR (M303R) ANNEALED
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES



COPYRIGHT © 2003 BY DART AEROSPACE LTD.


SECTION PROVIDE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED TRANSPORTED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
CHECKED	APPROVED	DRAWING NO.	REV. C SHEET 4 OF 4			
DATE 04	.02.17	BRACKET ASSEMBLY	SCALE			



DETAIL A (2:1)

DEO ATTACHED

DETAIL B (20:1)



0.199 ±0.001 0.039 R0.031 0.720 ±0.002 0.747 ±0.001 R0.010 SECTION C-C SCALE 2:1

D3183-9 CAP

- 1) MATERIAL: DELRIN ROD, Ø1.00 (REF DART SPEC. M-DELRIN-R1.00) 2) TOLERANCES ARE PER DART QSI 018
- UNLESS OTHERWISE NOTED

 3) ALL DIMENSIONS ARE IN INCHES

D3183-045 BEARING ASSEMBLY

1) ASSEMBLE D3183-5 BEARING AND D3183-9 CAP

COPYRIGHT @ 2003 BY DART AEROSPACE LTD.

CR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DRAWING N	VO.	TITLE		, REV.C1	DART AEF	ROSPACELTD	D.E.O. NO.	CONTRACTOR PRODUCTION OF THE	SHEET NO).	SCALE
D3183		BRACKET	SSEMBLY		ENGINEE	RING ORDER	D3183-C1-1	0	SHEET 1 OF	51	ทาร
DRAWN	00		CHECKED	AL	MFG. APPR.	NA I	APPROVED //	DI	EAPPR.	-	
DATE	10.05.1	4	DATE	10.06.30	DATE (8)	.06.30	DATE 10/0:6	130 0	ATE (0/0	6/30	

D3183-5 BEARING


ADD POSSIBLE SUPPLIER: KML P/N 6800-ZZ

BASIC LOAD RATING REQUIREMENT:

Cr = 1720 N (386 lb) MIN [DYNAMIC]

Cor = 840 N (188 lb) MIN [STATIC]

REF PAR 10-012



COPYRIGHT © 2010 BY DART AEROSPACE LTD

DIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS

NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ARY OTHER PERSON WITHOUT

WINITED PERSON WITHOUT